



## 432 EVO ESSENCE

The 432 EVO ESSENCE is a high-end all-in-one music server created by Klinkt Beter featuring a high-end integrated DAC card and high-end SPDIF output. It also features an internal universal 110V-230V power supply, while all our other models always have external power supplies.



**Optional high-end Sbooster BOtW supply**



The 432 EVO ESSENCE comes with a builtin universal SMPS power supply, which can be upgraded to a linear supply.

For only 200 € extra, the 432 EVO ESSENCE can be ordered with a matching Sbooster BOTW power supply, which we recommend.

The topplate of the Sbooster will match the color of your 432 EVO ESSENCE.

## High-end integrated DAC card

The 432 ESSENCE features a high-end soundcard from Asus, which also exists in a DAC version.

The DAC version of this soundcard won EISA awards, and after reading their review "an honest and compelling sound that puts many traditional hi-fi marques to shame!", we wanted this technology in our integrated model. So here it is:



The analog output (cinch) and SPDIF (coaxial and optical via an adapter) can work simultaneously on the 432 EVO ESSENCE.

The DAC is based on a PCM1792A and has a very high SNR of 124dB, and the clocks are over controlled like in many much more expensive DAC offerings.



The PCM1792A succeeds the PCM1792 and is an EXACT EQUIVALENT in functionality and parametrics. The PCM1792 is used in well known players such as the Olive 6HD.

We have one customer that has replaced his 6HD by the 432 ESSENCE.

The 432 EVO ESSENCE can also be connected to an USB DAC and/or HDMI based audio device (surround process, dac with HDMI input, ....)

## **432 Hz**

Contrary to many youtube 432 Hz demo's, our 432 Hz processing is artefact free and is build on world class DSP. There's no resolution or detail loss, which was verified by 6moons in the 432 Hz plugin review. The 432 Hz processing just does the opposite: the sound will be more enjoyable, there will be more clarity, less fatigue. The sound will become more analog and have qualities unseen in any digital solution. Just read our testimonies available in the left columns.







Strongly recommended 432 EVO ESSENCE is compatible with the 43 cm hifi standard:  
16/44 kHz sampling rate, 24 bit resolution, 192 kHz maximum frequency response.  
Essentially:  
- 16/44 kHz sampling rate  
- 24 bit resolution  
- 192 kHz maximum frequency response  
- 43 cm hifi standard (including spring load and playback interface)